

# Sipwise NGCP Administration Interface

administrator
logout (/logout)
Information (#)
User Administration (#)
<b>System Administration (#)</b>  <b><u>Domains (/domain)</u></b> <b><u>Administrators (/admin)</u></b> <b><u>Billing (/billing)</u></b> <b><u>SIP Peerings (/peering)</u></b> <b><u>Rewrite Rule Sets (/rewrite)</u></b> <b><u>Sound Sets (/sound)</u></b> <b><u>Security Bans (/bans/users)</u></b>
Number Management (#)

## Domain voip1.ics-il.net

- [Preferences \(preferences?domain=voip1.ics-il.net\)](#)

### Domain Preferences

[\(preferences?domain=voip1.ics-il.net&edit\\_preferences=1\)](#)

- ncos:

- adm\_ncos:

- unauth\_inbound\_calls:

- peer\_auth\_register:

- concurrent\_max:

- concurrent\_max\_out:

- force\_outbound\_calls\_to\_peer:

- rewrite\_rule\_set:

 ▼

- force\_inbound\_calls\_to\_peer:

- sst\_enable:

 ▼

- sst\_expires:

- sst\_min\_timer:

- sst\_max\_timer:

<input type="text"/>
• sst_refresh_method:
<input type="text" value="UPDATE_FALLBACK_INVITE"/>
• sound_set:
<input type="text"/>
• reject_emergency:
<input type="checkbox"/>
• inbound_upn:
<input type="text" value="From-Username"/>
• outbound_from_user:
<input type="text" value="User-Provided-Number"/>
• outbound_from_display:
<input type="text" value="None"/>
• outbound_pai_user:
<input type="text" value="Network-Provided-Number"/>
• outbound_ppi_user:
<input type="text" value="None"/>
• mobile_push_enable:
<input type="checkbox"/>
• extension_in_npn:
<input type="checkbox"/>
• concurrent_max_per_account:
<input type="text"/>

- concurrent\_max\_out\_per\_account:

- inbound\_uprn:

- outbound\_diversion:

- no\_nat\_sipping:

- ip\_header:

- use\_rtpproxy:

- ipv46\_for\_rtpproxy:

- allow\_out\_foreign\_domain:

NGCP www\_admin version 3.6.3 - Copyright 2007-2012 Sipwise GmbH, Austria.

[www.sipwise.com](http://www.sipwise.com) (<http://sipwise.com/>)